

ACI MATERIALS JOURNAL

INDEX VOLUME 104, 2007

From a Journal of the American Concrete Institute, January through December 2007



American Concrete Institute®
Advancing concrete knowledge

AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

Remove this section and include it with your January through December 2007 Volume 104 issues of the *ACI Materials Journal*.

A

Adhesion—Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Bhargava, K.; Ghosh, A. K.; Mori, Y.; and Ramanujam, S., Nov.-Dec. 2007 594

Admixture

—High-volume natural pozzolan concrete for structural applications (104-M59) Uzal, B.; Turanli, L.; and Mehta, P. K., Sept.-Oct. 2007 535
—Revisions to accelerated corrosion test method for post-tensioning grout (104-M14) Pacheco, A. R.; Schokker, A. J.; and Hamilton III, H. R., Mar.-Apr. 2007 123

Aggregate

—Effectiveness of lithium-based products in concrete made with Canadian natural aggregates susceptible to alkali-silica reactivity (104-M24) Tremblay, C.; Bérubé, M.-A.; Fournier, B.; Thomas, M. D. A.; and Folliard, K. J., Mar.-Apr. 2007 195
—Flow test: particle-level and macroscale analyses (104-M36) Kim, H.-K.; Cortes, D. D.; and Santamarina, J. C., May-June 2007 323
—Performance limits for evaluating supplementary cementing materials using accelerated mortar bar test (104-M13) Thomas, M. D. A.; Fournier, B.; Folliard, K. J.; Shehata, M. H.; Ideker, J. H.; and Rogers, C., Mar.-Apr. 2007 115
—Strength and wear resistance of sand-replaced silica fume concrete (104-M24) Ghafoori, N., and Diawara, H., Mar.-Apr. 2007 206
—Vacuum saturated absorption as aggregate durability indicator (104-M34) Williamson, G. S.; Weyers, R. E.; Mokarem, D. W.; Lane, D. S.; and Reid, D. D., May-June 2007 307
Ahmad, S.—Residual strength of corrosion-damaged reinforced concrete beams (104-M05) Jan.-Feb. 2007 40
Ahmed, S. F. U.—Cover cracking of reinforced concrete beams due to corrosion of steel (104-M18) Mar.-Apr. 2007 153
Aïtcin, P.-C.—Effect of saturated lightweight sand substitution on shrinkage in 0.35 w/b concrete (104-M06) Jan.-Feb. 2007 48
Al Wardany, R.—Assessment of concrete slab quality and layering by guided and surface wave testing (104-M29) May-June 2007 268

Alkali-silica reaction

—Effect of confinement on properties and characteristics of alkali-silica reaction gel (104-M30) Ostertag, C. P.; Yi, C.; and Monteiro, P. J. M., May-June 2007 276
—Effectiveness of lithium-based products in concrete made with Canadian natural aggregates susceptible to alkali-silica reactivity (104-M24) Tremblay, C.; Bérubé, M.-A.; Fournier, B.; Thomas, M. D. A.; and Folliard, K. J., Mar.-Apr. 2007 195

Amziane, S.—Cementitious paste setting using rheological and pressure measurements (104-M16) Mar.-Apr. 2007 137

Andolfato, R. P.—Brazilian results on structural masonry concrete blocks (104-M04) Jan.-Feb. 2007 33

Ansari, F.—Fracture energy of concrete by maturity method (104-M10) Jan.-Feb. 2007 77

Arioz, O.—Some factors influencing effect of core diameter on measured concrete compressive strength (104-M32) May-June 2007 291

Asphalt—Mechanical and fracture-mechanical properties of asphalt-concrete interfaces (104-M52) Tschegg, E. K.; Macht, J.; Jamek, M.; and Steigenberger, J., Sept.-Oct. 2007 474

Assessment of concrete slab quality and layering by guided and surface wave testing (104-M29) Al Wardany, R.; Ballivy, G.; Gallias, J.-L.; Saleh, K.; and Rhazi, J., May-June 2007 268

Attigbo, E. K.—Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) May-June 2007 259

B

Autogenous shrinkage—Thermal effects on physico-mechanical properties of ultra-high-performance fiber-reinforced concrete (104-M47) Kamen, A.; Denarié, E.; and Brühwiler, E., July-Aug. 2007 415

Azad, A. K.—Residual strength of corrosion-damaged reinforced concrete beams (104-M05) Jan.-Feb. 2007 40

Azher, S. A.—Residual strength of corrosion-damaged reinforced concrete beams (104-M05) Jan.-Feb. 2007 40

Ballivy, G.—Assessment of concrete slab quality and layering by guided and surface wave testing (104-M29) May-June 2007 268

Banthia, N.—Permeability of stressed concrete and role of fiber reinforcement (104-M09) Jan.-Feb. 2007 70

Barnes, R. W.—Properties of self-consolidating concrete for prestressed members (104-M07) Jan.-Feb. 2007 53

Barnett, S. J.—Fast-track construction with slag cement concrete: adiabatic strength development and strength prediction (104-M43) July-Aug. 2007 388

Bassam, S. A.—Fracture energy of concrete by maturity method (104-M10) Jan.-Feb. 2007 77

Beam(s)—Cover cracking of reinforced concrete beams due to corrosion of steel cracking (104-M18) Ahmed, S. F. U.; Maalej, M.; and Mihashi, H., Mar.-Apr. 2007 153

Beasley, S.—Sodium sulfate resistance of fast-track portland-cement concretes (104-M64) Nov.-Dec. 2007 585

Behavior of concrete under nonproportional biaxial fatigue stresses with one constant (104-M01) Lü, P.; Li, Q.; and Song, Y., Jan.-Feb. 2007 3

Bending moment—Closed-form moment-curvature expressions for homogenized fiber-reinforced concrete (104-M39) Soranakom, C., and Mobasher, B., July-Aug. 2007 351

Beneficiation—Evaluation of fly ash from co-combustion of coal and petroleum coke for use in concrete (104-M08) Scott, A. N., and Thomas, M. D. A., Jan.-Feb. 2007 62

Bentz, D. P.—Internal curing of high-performance blended cement mortars (104-M46) July-Aug. 2007 408

Bérubé, M.-A.—Effectiveness of lithium-based products in concrete made with Canadian natural aggregates susceptible to alkali-silica reactivity (104-M23) Mar.-Apr. 2007 195

Bhargava, A.—Permeability of stressed concrete and role of fiber reinforcement (104-M09) Jan.-Feb. 2007 70

Bhargava, K.—Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Nov.-Dec. 2007 594

Bhattacharjee, B.—Role of steel and cement type on chloride-induced corrosion in concrete (104-M67) Nov.-Dec. 2007 612

Billington, S. L.—Creep and shrinkage of high-performance fiber-reinforced cementitious composites (104-M15) Mar.-Apr. 2007 129

Bissonnette, B.

—Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) May-June 2007 259

—Tensile creep of concrete: study of its sensitivity to basic parameters (104-M40) July-Aug. 2007 360

Blast-furnace slag—High-volume natural pozzolan concrete for structural applications (104-M59) Uzal, B.; Turanli, L.; and Mehta, P. K., Sept.-Oct. 2007 535

Bleeding—Multi-electrode conductivity method to evaluate static stability of flowable and self-consolidating concrete (104-M48) Khayat, K. H.; Vanhove, Y.; Pavate, T. V.; and Jolicoeur, C., July-Aug. 2007 424

Bond

—Influence of freezing-and-thawing damage on behavior of reinforced concrete elements (104-M41) Petersen, L.; Lohaus, L.; and Polak, M. A., July-Aug. 2007 369

—Mechanical and fracture-mechanical properties of asphalt-concrete interfaces (104-M52) Tschegg, E. K.; Macht, J.; Jamek, M.; and Steigenberger, J., Sept.-Oct. 2007 474

Bond strength —Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Bhargava, K.; Ghosh, A. K.; Mori, Y.; and Ramazani, S., Nov.-Dec. 2007	594
Boulay, C. —Strain rate effect on bending behavior of new ultra-high-performance cement-based composite (104-M50) Sept.-Oct. 2007	458
Brazilian results on structural masonry concrete blocks (104-M04) Andolfato, R. P.; Camacho, J. S.; and Ramalho, M. A., Jan.-Feb. 2007	33
Breen, J. E. —Use of alternative materials to reduce shrinkage cracking in bridge decks (104-M69) Nov.-Dec. 2007	629
Bridge deck —Use of alternative materials to reduce shrinkage cracking in bridge decks (104-M69) Brown, M. D.; Smith, C. A.; Sellers, J. G.; Folliard, K. J.; and Breen, J. E., Nov.-Dec. 2007	629
Brown, J. R. —Heating methods and detection limits for infrared thermography inspection of fiber-reinforced polymer composites (104-M53) Sept.-Oct. 2007	481
Brown, M. D. —Use of alternative materials to reduce shrinkage cracking in bridge decks (104-M69) Nov.-Dec. 2007	629
Bruckermann, O.	
—Modeling local pressure on inclined rovings in textile-reinforced concrete (104-M57) Sept.-Oct. 2007	520
—Modeling of textile reinforced concrete with inclined textile orientation (104-M56) Sept.-Oct. 2007	511
Brühwiler, E. —Thermal effects on physico-mechanical properties of ultra-high-performance fiber-reinforced concrete (104-M47) July-Aug. 2007	415
Bungey, J. H. —Fast-track construction with slag cement concrete: adiabatic strength development and strength prediction (104-M43) July-Aug. 2007	388

C

Calorimeter —Methods for calculating activation energy for portland cement (104-M11) Poole, J. L.; Riding, K. A.; Folliard, K. J.; Juenger, M. C. G.; and Schindler, A. K., Jan.-Feb. 2007	86
Camacho, J. S. —Brazilian results on structural masonry concrete blocks (104-M04) Jan.-Feb. 2007	33
Capillary —Rheology of extruded cement-based materials (104-M31) Kuder, K. G., and Shah, S. P., May-June 2007	283
Carbon —Piezoresistivity-based strain sensing in carbon fiber-reinforced cement (104-M20) Wen, S., and Chung, D. D. L., Mar.-Apr. 2007	171
Cavity expansion —Tailoring extruded HPFRCC to be nailable (104-M58) Kuder, K. G., and Shah, S. P., Sept.-Oct. 2007	526
Cement —Piezoresistivity-based strain sensing in carbon fiber-reinforced cement (104-M20) Wen, S., and Chung, D. D. L., Mar.-Apr. 2007	171
Cement-based composite —Strain rate effect on bending behavior of new ultra-high-performance cement-based composite (104-M50) Parant, E.; Rossi, P.; Jacquelin, E.; and Boulay, C., Sept.-Oct. 2007	458
Cement paste	
—Cementitious paste setting using rheological and pressure measurements (104-M16) Amziane, S., and Ferraris, C. F., Mar.-Apr. 2007	137
—Creep and shrinkage of high-performance fiber-reinforced cementitious composites (104-M15) Rouse, J. M., and Billington, S. L., Mar.-Apr. 2007	129
Cementitious —Engineered cementitious composites with high-volume fly ash (104-M25) Wang, S., and Li, V. C., May-June 2007	233
Cementitious paste setting using rheological and pressure measurements (104-M16) Amziane, S., and Ferraris, C. F., Mar.-Apr. 2007	137
Chan, C. —Frost durability indexes of segmental retaining wall units (104-M03) Jan.-Feb. 2007	23
Characteristics of cement mortar with nano-SiO₂ particles (104-M45) Jo, B.-W.; Kim, C.-H.; and Lim, J.-H., July-Aug. 2007	404
Chloride	
—High-volume natural pozzolan concrete for structural applications (104-M59) Uzal, B.; Turanlı, L.; and Mehta, P. K., Sept.-Oct. 2007	535
—Role of steel and cement type on chloride-induced corrosion in concrete (104-M67) Pradhan, B., and Bhattacharjee, B., Nov.-Dec. 2007	612
Chloride concentration —Measuring chloride concentrations for various cement-based materials systems (104-M62) Halmen, C., and Trejo, D., Nov.-Dec. 2007	567

Chloride diffusivity —Transport properties of engineered cementitious composites under chloride exposure (104-M66) Sahmaran, M.; Li, M.; and Li, V. C., Nov.-Dec. 2007	604
Chung, D. D. L. —Piezoresistivity-based strain sensing in carbon fiber-reinforced cement (104-M20) Mar.-Apr. 2007	171
Cil, I. —Some factors influencing effect of core diameter on measured concrete compressive strength (104-M32) May-June 2007	291
Claisse, P. —Strength optimization of novel binder containing plasterboard gypsum waste (104-M72) Nov.-Dec. 2007	653
Clay —Rheology of extruded cement-based materials (104-M31) Kuder, K. G., and Shah, S. P., May-June 2007	283
Cline, D. B. H. —Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Nov.-Dec. 2007	643
Closed-form moment-curvature expressions for homogenized fiber-reinforced concrete (104-M39) Soranakom, C., and Mobasher, B., July-Aug. 2007	351
Closed-form solution for predicting elastic modulus of concrete (104-M60) Li, C.-Q., and Zheng, J.-J., Sept.-Oct. 2007	539
Coarse aggregate —Filling ability and passing ability of self-consolidating concrete (104-M19) Sonebi, M.; Grünwald, S.; and Walraven, J., Mar.-Apr. 2007	162
Composite concrete flexural members —Closed-form moment-curvature expressions for homogenized fiber-reinforced concrete (104-M39) Soranakom, C., and Mobasher, B., July-Aug. 2007	351
Composite sphere model —Closed-form solution for predicting elastic modulus of concrete (104-M60) Li, C.-Q., and Zheng, J.-J., Sept.-Oct. 2007	539
Composites —Creep and shrinkage of high-performance fiber-reinforced cementitious composites (104-M15) Rouse, J. M., and Billington, S. L., Mar.-Apr. 2007	129
Compression	
—Permeability of stressed concrete and role of fiber reinforcement (104-M09) Banthia, N., and Bhargava, A., Jan.-Feb. 2007	70
—Post-peak behavior of cement-based materials in compression (104-M55) Fantilli, A. P.; Mihashi, H.; and Vallini, P., Sept.-Oct. 2007	501
Compressive behavior of ultra-high-performance fiber-reinforced concrete (104-M17) Graybeal, B. A., Mar.-Apr. 2007	146
Compressive strength	
—Characteristics of cement mortar with nano-SiO ₂ particles (104-M45) Jo, B.-W.; Kim, C.-H.; and Lim, J.-H., July-Aug. 2007	404
—Compressive behavior of ultra-high-performance fiber-reinforced concrete (104-M17) Graybeal, B. A., Mar.-Apr. 2007	146
—High-volume natural pozzolan concrete for structural applications (104-M59) Uzal, B.; Turanlı, L.; and Mehta, P. K., Sept.-Oct. 2007	535
—Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Trejo, D.; Moutassem, F.; Hueste, M. B. D.; Halmen, C.; and Cline, D. B. H., Nov.-Dec. 2007	643
—Properties of concrete containing nonground ash and slag as fine aggregate (104-M44) Yüksel, I., and Genç, A., July-Aug. 2007	397
—Some factors influencing effect of core diameter on measured concrete compressive strength (104-M32) Arioz, O.; Ramyar, K.; Tuncan, M.; Tuncan, A.; and Cil, I., May-June 2007	291
—Strength and wear resistance of sand-replaced silica fume concrete (104-M24) Ghafouri, N., and Diawara, H., Mar.-Apr. 2007	206
—Strength optimization of novel binder containing plasterboard gypsum waste (104-M72) Pouya, H. S.; Ganjian, E.; Claisse, P.; and Karami, S., Nov.-Dec. 2007	653
Concrete	
—Behavior of concrete under nonproportional biaxial fatigue stresses with one constant (104-M01) Lü, P.; Li, Q.; and Song, Y., Jan.-Feb. 2007	3
—Modeling of textile reinforced concrete with inclined textile orientation (104-M56) Bruckermann, O.; Hegger, J.; and Sherif, A. G., Sept.-Oct. 2007	511
Concrete block —Brazilian results on structural masonry concrete blocks (104-M04) Andolfato, R. P.; Camacho, J. S.; and Ramalho, M. A., Jan.-Feb. 2007	33
Concrete mixtures with high microfiners (103-M28)	
—Quiroga, P. N.; Ahn, N.; and Fowler, D. W., July-Aug. 2006	258
—Disc. by Hazaree, C., May-June 2007	328

Concrete strength —Investigation of pulse velocity-strength relationship of hardened concrete (104-M38) Lin, Y.; Kuo, S.-F.; Hsiao, C.; and Lai, C.-P., July-Aug. 2007	344
Conductivity —Multi-electrode conductivity method to evaluate static stability of flowable and self-consolidating concrete (104-M48) Khayat, K. H.; Vanhove, Y.; Pavate, T. V.; and Jolicoeur, C., July-Aug. 2007	424
Confinement —Effect of confinement on properties and characteristics of alkali-silica reaction gel (104-M30) Ostertag, C. P.; Yi, C.; and Monteiro, P. J. M., May-June 2007	276
Constructibility —Tailoring extruded HPFRCC to be nailable (104-M58) Kuder, K. G., and Shah, S. P., Sept.-Oct. 2007	526
Core —Some factors influencing effect of core diameter on measured concrete compressive strength (104-M32) Arioz, O.; Ramyar, K.; Tuncan, M.; Tuncan, A.; and Cil, I., May-June 2007	291
Core test —Water-induced swelling displacements in core drilling method (104-M02) McGinnis, M. J., and Pessiki, S., Jan.-Feb. 2007	13
Corrosion	
—Cover cracking of reinforced concrete beams due to corrosion of steel cracking (104-M18) Ahmed, S. F. U.; Maalej, M.; and Mihashi, H., Mar.-Apr. 2007	153
—Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Bhargava, K.; Ghosh, A. K.; Mori, Y.; and Ramanujam, S., Nov.-Dec. 2007	594
—On-site measurements on corrosion rate of steel in reinforced concrete (104-M70) So, H. S., and Millard, S. G., Nov.-Dec. 2007	638
—Role of steel and cement type on chloride-induced corrosion in concrete (104-M67) Pradhan, B., and Bhattacharjee, B., Nov.-Dec. 2007	612
Cortes, D. D. —Flow test: particle-level and macroscale analyses (104-M36) May-June 2007	323
Cover cracking of reinforced concrete beams due to corrosion of steel cracking (104-M18) Ahmed, S. F. U.; Maalej, M.; and Mihashi, H., Mar.-Apr. 2007	153
Cracking	
—Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) Bissonnette, B.; Attiogbe, E. K.; Miltenberger, M. A.; and Fortin, C., May-June 2007	259
—Effect of confinement on properties and characteristics of alkali-silica reaction gel (104-M30) Ostertag, C. P.; Yi, C.; and Monteiro, P. J. M., May-June 2007	276
—Fracture energy of concrete by maturity method (104-M10) Bassam, S. A.; Yu, B.-J.; and Ansari, F., Jan.-Feb. 2007	77
—Influence of shrinkage-reducing admixtures on development of plastic shrinkage cracks (104-M22) Lura, P.; Pease, B.; Mazzotta, G. B.; Rajabipour, F.; and Weiss, J., Mar.-Apr. 2007	187
—Permeability of stressed concrete and role of fiber reinforcement (104-M09) Banthia, N., and Bhargava, A., Jan.-Feb. 2007	70
—Tensile creep of concrete: study of its sensitivity to basic parameters (104-M40) Bissonnette, B.; Pigeon, M.; and Vaysburd, A. M., July-Aug. 2007	360
—Transport properties of engineered cementitious composites under chloride exposure (104-M66) Sahmaran, M.; Li, M.; and Li, V. C., Nov.-Dec. 2007	604
Creep	
—Creep and shrinkage of high-performance fiber-reinforced cementitious composites (104-M15) Rouse, J. M., and Billington, S. L., Mar.-Apr. 2007	129
—Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) Bissonnette, B.; Attiogbe, E. K.; Miltenberger, M. A.; and Fortin, C., May-June 2007	259
Creep and shrinkage of high-performance fiber-reinforced cementitious composites (104-M15) Rouse, J. M., and Billington, S. L., Jan.-Feb. 2007	129
Curing	
—Effect of saturated lightweight sand substitution on shrinkage in 0.35 w/b concrete (104-M06) Durán-Herrera, A.; Aitcin, P.-C.; and Petrov, N., Jan.-Feb. 2007	48
—Internal curing of high-performance blended cement mortars (104-M46) Bentz, D. P., July-Aug. 2007	408
—Sodium sulfate resistance of fast-track portland-cement concretes (104-M64) Ghafoori, N.; Diawara, H.; and Beasley, S., Nov.-Dec. 2007	585
Curling —Drying shrinkage, curling, and joint opening of slabs-on-ground	

(104-M28) Bissonnette, B.; Attiogbe, E. K.; Miltenberger, M. A.; and Fortin, C., May-June 2007	259
Cyclic load —Response of concrete to dynamic elevated-amplitude cyclic tension (104-M61) Lin, G.; Yan, D.; and Yuan, Y., Nov.-Dec. 2007	561

D

Deflection —Residual strength of corrosion-damaged reinforced concrete beams (104-M05) Azad, A. K.; Ahmad, S.; and Azher, S. A., Jan.-Feb. 2007	40
Deformation —Evaluation of shrinkage prediction models for self-consolidating concrete (104-M51) Fernández-Gómez, J., and Landsberger, G. A., Sept.-Oct. 2007	464
Degradation of mechanical characteristics of some polymeric mortars due to aging (104-M37) Silva, M. A. G., and Silva, Z. C. G., July-Aug. 2007	337
Degree of hydration —Thermal effects on physico-mechanical properties of ultra-high-performance fiber-reinforced concrete (104-M47) Kamen, A.; Denarié, E.; and Brühwiler, E., July-Aug. 2007	415
Degtyarev, V. V. —Tensile strength of welded splices of QST reinforcing bars (104-M12) Jan.-Feb. 2007	95
Denarié, E. —Thermal effects on physico-mechanical properties of ultra-high-performance fiber-reinforced concrete (104-M47) July-Aug. 2007	415
Design —Influence of freezing-and-thawing damage on behavior of reinforced concrete elements (104-M41) Petersen, L.; Lohaus, L.; and Polak, M. A., July-Aug. 2007	369
Deterioration —Influence of freezing-and-thawing damage on behavior of reinforced concrete elements (104-M41) Petersen, L.; Lohaus, L.; and Polak, M. A., July-Aug. 2007	369
Developing falling-ball viscometer for highly flowable cement-based materials (104-M21) Sun, Z.; Gregori, A.; Ferron, R.; and Shah, S. P., Mar.-Apr. 2007	180
Development of microplane model based on degree of hydration concept (104-M35) Kim, J.-K., and Lee, Y., May-June 2007	313
Dhonde, H. B. —Fresh and hardened properties of self-consolidating fiber-reinforced concrete (104-M54) Sept.-Oct. 2007	491
Diawara, H.	
—Sodium sulfate resistance of fast-track portland-cement concretes (104-M64) Nov.-Dec. 2007	585
—Strength and wear resistance of sand-replaced silica fume concrete (104-M24) Mar.-Apr. 2007	206
Displacement —Water-induced swelling displacements in core drilling method (104-M02) McGinnis, M. J., and Pessiki, S., Jan.-Feb. 2007	13
Drying shrinkage	
—Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) Bissonnette, B.; Attiogbe, E. K.; Miltenberger, M. A.; and Fortin, C., May-June 2007	259
—Tensile creep of concrete: study of its sensitivity to basic parameters (104-M40) Bissonnette, B.; Pigeon, M.; and Vaysburd, A. M., July-Aug. 2007	360
Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) Bissonnette, B.; Attiogbe, E. K.; Miltenberger, M. A.; and Fortin, C., May-June 2007	259
Durability	
—Evaluation of fly ash from co-combustion of coal and petroleum coke for use in concrete (104-M08) Scott, A. N., and Thomas, M. D. A., Jan.-Feb. 2007	62
—Frost durability indexes of segmental retaining wall units (104-M03) Chan, C.; Hover, K. C.; Folliard, K. J.; and Trejo, D., Jan.-Feb. 2007	23
—Influence of shrinkage-reducing admixtures on development of plastic shrinkage cracks (104-M22) Lura, P.; Pease, B.; Mazzotta, G. B.; Rajabipour, F.; and Weiss, J., Mar.-Apr. 2007	187
—Measuring chloride concentrations for various cement-based materials systems (104-M62) Halmen, C., and Trejo, D., Nov.-Dec. 2007	567
—Mixture design, strength, durability, and fire resistance of lightweight pumice concrete (104-M49) Hossain, K. M. A., and Lachemi, M., Sept.-Oct. 2007	449
—Permeability of stressed concrete and role of fiber reinforcement (104-M09) Banthia, N., and Bhargava, A., Jan.-Feb. 2007	70

—Strength and wear resistance of sand-replaced silica fume concrete (104-M24) Ghafouri, N., and Diawara, H., Mar.-Apr. 2007	206
—Vacuum saturated absorption as aggregate durability indicator (104-M34) Williamson, G. S.; Weyers, R. E.; Mokarem, D. W.; Lane, D. S.; and Reid, D. D., May-June 2007	307
Durán-Herrera, A. —Effect of saturated lightweight sand substitution on shrinkage in 0.35 w/b concrete (104-M06) Jan.-Feb. 2007	48
Dynamic strength —Response of concrete to dynamic elevated-amplitude cyclic tension (104-M61) Lin, G.; Yan, D.; and Yuan, Y., Nov.-Dec. 2007	561

E

Early age

—Development of microplane model based on degree of hydration concept (104-M35) Kim, J.-K., and Lee, Y., May-June 2007	313
—Fast-track construction with slag cement concrete: adiabatic strength development and strength prediction (104-M43) Barnett, S. J.; Soutsos, M. N.; Bungey, J. H.; and Millard, S. G., July-Aug. 2007	388
—Fracture energy of concrete by maturity method (104-M10) Bassam, S. A.; Yu, B.-J.; and Ansari, F., Jan.-Feb. 2007	77
Effect of confinement on properties and characteristics of alkali-silica reaction gel (104-M30) Ostertag, C. P.; Yi, C.; and Monteiro, P. J. M., May-June 2007	276
Effect of saturated lightweight sand substitution on shrinkage in 0.35 w/b concrete (104-M06) Durán-Herrera, A.; Altın, P.-C.; and Petrov, N., Jan.-Feb. 2007	48
Effectiveness of lithium-based products in concrete made with Canadian natural aggregates susceptible to alkali-silica reactivity (104-M23) Tremblay, C.; Bérubé, M.-A.; Fournier, B.; Thomas, M. D. A.; and Folliard, K. J., Mar.-Apr. 2007	195

Elastic modulus

—Closed-form solution for predicting elastic modulus of concrete (104-M60) Li, C.-Q., and Zheng, J.-J., Sept.-Oct. 2007	539
—Tensile creep of concrete: study of its sensitivity to basic parameters (104-M40) Bissonnette, B.; Pigeon, M.; and Vaysburd, A. M., July-Aug. 2007	360

Engineered cementitious composites

—Transport properties of engineered cementitious composites under chloride exposure (104-M66) Sahmaran, M.; Li, M.; and Li, V. C., Nov.-Dec. 2007	604
—Use of high volumes of fly ash to improve ECC mechanical properties and material greenness (104-M68) Yang, E.-H.; Yang, Y.; and Li, V. C., Nov.-Dec. 2007	620

Engineered cementitious composites with high-volume fly ash (104-M25) Wang, S., and Li, V. C., May-June 2007	233
---	-----

Environmental effects —Degradation of mechanical characteristics of some polymeric mortars due to aging (104-M37) Silva, M. A. G., and Silva, Z. C. G., July-Aug. 2007	337
---	-----

Environmental exposure —Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Trejo, D.; Moutassem, F.; Hueste, M. B. D.; Halmen, C.; and Cline, D. B. H., Nov.-Dec. 2007	643
--	-----

Ettringite —Sodium sulfate resistance of fast-track portland-cement concretes (104-M64) Ghafouri, N.; Diawara, H.; and Beasley, S., Nov.-Dec. 2007	585
---	-----

Evaluation —Some factors influencing effect of core diameter on measured concrete compressive strength (104-M32) Ario, O.; Ramyar, K.; Tuncan, M.; Tuncan, A.; and Cil, I., May-June 2007	291
--	-----

Evaluation of fly ash from co-combustion of coal and petroleum coke for use in concrete (104-M08) Scott, A. N., and Thomas, M. D. A., Jan.-Feb. 2007	62
---	----

Evaluation of shrinkage prediction models for self-consolidating concrete (104-M51) Fernández-Gómez, J., and Landsberger, G. A., Sept.-Oct. 2007	464
---	-----

Experimental testing —Experimental testing to determine concrete fracture energy using simple laboratory test setup (104-M63) Martin, J.; Stanton, J.; Mitra, N.; and Lowes, L. N., Nov.-Dec. 2007	575
---	-----

Experimental testing to determine concrete fracture energy using simple laboratory test setup (104-M63) Martin, J.; Stanton, J.; Mitra, N.; and Lowes, L. N., Nov.-Dec. 2007	575
---	-----

Extensibility —Use of alternative materials to reduce shrinkage cracking in bridge decks (104-M69) Brown, M. D.; Smith, C. A.; Sellers, J. G.; Folliard, K. J.; and Breen, J. E., Nov.-Dec. 2007	629
Extrusion —Tailoring extruded HPFRCC to be nailable (104-M58) Kuder, K. G., and Shah, S. P., Sept.-Oct. 2007	526

F

Fantilli, A. P. —Post-peak behavior of cement-based materials in compression (104-M55) Sept.-Oct. 2007	501
---	-----

Fast-track construction —Fast-track construction with slag cement concrete: adiabatic strength development and strength prediction (104-M43) Barnett, S. J.; Soutsos, M. N.; Bungey, J. H.; and Millard, S. G., July-Aug. 2007	388
---	-----

Fast-track construction with slag cement concrete: adiabatic strength development and strength prediction (104-M43) Barnett, S. J.; Soutsos, M. N.; Bungey, J. H.; and Millard, S. G., July-Aug. 2007	388
--	-----

Fatigue —Behavior of concrete under nonproportional biaxial fatigue stresses with one constant (104-M01) Lü, P.; Li, Q.; and Song, Y., Jan.-Feb. 2007	3
--	---

Fernández-Gómez, J. —Evaluation of shrinkage prediction models for self-consolidating concrete (104-M51) Sept.-Oct. 2007	464
---	-----

Ferraris, C. F. —Cementitious paste setting using rheological and pressure measurements (104-M16) Mar.-Apr. 2007	137
---	-----

Ferrocement —Closed-form moment-curvature expressions for homogenized fiber-reinforced concrete (104-M39) Soranakom, C., and Mobasher, B., July-Aug. 2007	351
--	-----

Ferron, R. P.

—Developing falling-ball viscometer for highly flowable cement-based materials (104-M21) Mar.-Apr. 2007	180
---	-----

—Rheological method to evaluate structural buildup in self-consolidating concrete cement pastes (104-M26) May-June 2007	242
---	-----

Fiber(s)

—Engineered cementitious composites with high-volume fly ash (104-M25) Wang, S., and Li, V. C., May-June 2007	233
---	-----

—Piezoresistivity-based strain sensing in carbon fiber-reinforced cement (104-M20) Wen, S., and Chung, D. D. L., Mar.-Apr. 2007	171
---	-----

Fiber-reinforced concrete

—Closed-form moment-curvature expressions for homogenized fiber-reinforced concrete (104-M39) Soranakom, C., and Mobasher, B., July-Aug. 2007	351
---	-----

—Compressive behavior of ultra-high-performance fiber-reinforced concrete (104-M17) Graybeal, B. A., Mar.-Apr. 2007	146
---	-----

—Permeability of stressed concrete and role of fiber reinforcement (104-M09) Banthia, N., and Bhargava, A., Jan.-Feb. 2007	70
--	----

—Post-peak behavior of cement-based materials in compression (104-M55) Fantilli, A. P.; Mihashi, H.; and Vallini, P., Sept.-Oct. 2007	501
---	-----

Fiber-reinforced polymer composites —Heating methods and detection limits for infrared thermography inspection of fiber-reinforced polymer composites (104-M53) Brown, J. R., and Hamilton, H. R., Sept.-Oct. 2007	481
---	-----

Fiber reinforcement —Tensile creep of concrete: study of its sensitivity to basic parameters (104-M40) Bissonnette, B.; Pigeon, M.; and Vaysburd, A. M., July-Aug. 2007	360
--	-----

Filling ability and passing ability of self-consolidating concrete (104-M19) Sonebi, M.; Grünwald, S.; and Walraven, J., Mar.-Apr. 2007	162
--	-----

Finite element analysis —Experimental testing to determine concrete fracture energy using simple laboratory test setup (104-M63) Martin, J.; Stanton, J.; Mitra, N.; and Lowes, L. N., Nov.-Dec. 2007	575
--	-----

Fire resistance —Mixture design, strength, durability, and fire resistance of lightweight pumice concrete (104-M49) Hossain, K. M. A., and Lachemi, M., Sept.-Oct. 2007	449
--	-----

Flexural strength —Residual strength of corrosion-damaged reinforced concrete beams (104-M05) Azad, A. K.; Ahmad, S.; and Azher, S. A., Jan.-Feb. 2007	40
---	----

Flexural tensile strength —Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Trejo, D.; Moutassem, F.; Hueste, M. B. D.; Halmen, C.; and Cline, D. B. H., Nov.-Dec. 2007	643
---	-----

Flexural tests —Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Bhargava, K.; Ghosh, A. K.; Mori, Y.; and Ramanujam, S., Nov.-Dec. 2007	594
--	-----

Flow —Flow test: particle-level and macroscale analyses (104-M36) Kim, H.-K.; Cortes, D. D.; and Santamarina, J. C., May-June 2007	323
Flow test: particle-level and macroscale analyses (104-M36) Kim, H.-K.; Cortes, D. D.; and Santamarina, J. C., May-June 2007	323
Fly ash	
—Engineered cementitious composites with high-volume fly ash (104-M25) Wang, S., and Li, V. C., May-June 2007	233
—Evaluation of fly ash from co-combustion of coal and petroleum coke for use in concrete (104-M08) Scott, A. N., and Thomas, M. D. A., Jan.-Feb. 2007	62
—High-volume natural pozzolan concrete for structural applications (104-M59) Uzal, B.; Turanlı, L.; and Mehta, P. K., Sept.-Oct. 2007	535
—Properties of concrete containing nonground ash and slag as fine aggregate (104-M44) Yüksel, I., and Genç, A., July-Aug. 2007	397
Folliard, K. J.	
—Effectiveness of lithium-based products in concrete made with Canadian natural aggregates susceptible to alkali-silica reactivity (104-M23) Mar.-Apr. 2007	195
—Frost durability indexes of segmental retaining wall units (104-M03) Jan.-Feb. 2007	23
—Methods for calculating activation energy for portland cement (104-M11) Jan.-Feb. 2007	86
—Performance limits for evaluating supplementary cementing materials using accelerated mortar bar test (104-M13) Mar.-Apr. 2007	115
—Temperature boundary condition models for concrete bridge members (104-M42) July-Aug. 2007	379
—Use of alternative materials to reduce shrinkage cracking in bridge decks (104-M69) Nov.-Dec. 2007	629
Formwork —Temperature boundary condition models for concrete bridge members (104-M42) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., July-Aug. 2007	
	379
Fortin, C. —Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) May-June 2007	
	259
Fournier, B.	
—Effectiveness of lithium-based products in concrete made with Canadian natural aggregates susceptible to alkali-silica reactivity (104-M23) Mar.-Apr. 2007	195
—Performance limits for evaluating supplementary cementing materials using accelerated mortar bar test (104-M13) Mar.-Apr. 2007	115
Fracture energy —Experimental testing to determine concrete fracture energy using simple laboratory test setup (104-M63) Martin, J.; Stanton, J.; Mitra, N.; and Lowes, L. N., Nov.-Dec. 2007	
	575
Fracture energy of concrete by maturity method (104-M10) Bassam, S. A.; Yu, B.-J.; and Ansari, F., Jan.-Feb. 2007	
	77
Fracture mechanics —Tailoring extruded HPFRCC to be nailable (104-M58) Kuder, K. G., and Shah, S. P., Sept.-Oct. 2007	
	526
Freezing-and-thawing —Influence of freezing-and-thawing damage on behavior of reinforced concrete elements (104-M41) Petersen, L.; Lohaus, L.; and Polak, M. A., July-Aug. 2007	
	369
Fresh and hardened properties of self-consolidating fiber-reinforced concrete (104-M54) Dhondt, H. B.; Mo, Y. L.; Hsu, T. T. C.; and Vogel, J., Sept.-Oct. 2007	
	491
Friction coefficient —Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Bhargava, K.; Ghosh, A. K.; Mori, Y.; and Ramanujam, S., Nov.-Dec. 2007	
	594
Frost durability indexes of segmental retaining wall units (104-M03) Chan, C.; Hover, K. C.; Folliard, K. J.; and Trejo, D., Jan.-Feb. 2007	
	23

G

Gallias, J.-L. —Assessment of concrete slab quality and layering by guided and surface wave testing (104-M29) May-June 2007	268
Ganjian, E. —Strength optimization of novel binder containing plasterboard gypsum waste (104-M72) Nov.-Dec. 2007	653
Genç, A. —Properties of concrete containing nonground ash and slag as fine aggregate (104-M44) July-Aug. 2007	397
Ghafoori, N.	
—Sodium sulfate resistance of fast-track portland-cement concretes (104-M64) Nov.-Dec. 2007	585
—Strength and wear resistance of sand-replaced silica fume concrete (104-M24) Mar.-Apr. 2007	206

Ghosh, A. K. —Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Nov.-Dec. 2007	594
Graybeal, B. A. —Compressive behavior of ultra-high-performance fiber-reinforced concrete (104-M17) Mar.-Apr. 2007	146
Gregori, A.	
—Developing falling-ball viscometer for highly flowable cement-based materials (104-M21) Mar.-Apr. 2007	180
—Rheological method to evaluate structural buildup in self-consolidating concrete cement pastes (104-M26) May-June 2007	242
Groat	
—Measuring chloride concentrations for various cement-based materials systems (104-M62) Halmen, C., and Trejo, D., Nov.-Dec. 2007	567
—Revisions to accelerated corrosion test method for post-tensioning grout (104-M14) Pacheco, A. R.; Schokker, A. J.; and Hamilton III, H. R., Mar.-Apr. 2007	123
Grünwald, S. —Filling ability and passing ability of self-consolidating concrete (104-M19) Mar.-Apr. 2007	162
Gypsum	
—Sodium sulfate resistance of fast-track portland-cement concretes (104-M64) Ghafoori, N.; Diawara, H.; and Beasley, S., Nov.-Dec. 2007	585
—Strength optimization of novel binder containing plasterboard gypsum waste (104-M72) Pouya, H. S.; Ganjian, E.; Claisse, P.; and Karami, S., Nov.-Dec. 2007	653

H

Halmen, C.	
—Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Nov.-Dec. 2007	643
—Measuring chloride concentrations for various cement-based materials systems (104-M62) Nov.-Dec. 2007	567
Hamilton III, H. R.	
—Heating methods and detection limits for infrared thermography inspection of fiber-reinforced polymer composites (104-M53) Sept.-Oct. 2007	481
—Revisions to accelerated corrosion test method for post-tensioning grout (104-M14) Mar.-Apr. 2007	123
Heating methods and detection limits for infrared thermography inspection of fiber-reinforced polymer composites (104-M53) Brown, J. R., and Hamilton, H. R., Sept.-Oct. 2007	
	481
Hegger, J.	
—Modeling local pressure on inclined rovings in textile-reinforced concrete (104-M57) Sept.-Oct. 2007	520
—Modeling of textile reinforced concrete with inclined textile orientation (104-M56) Sept.-Oct. 2007	511
High performance —Internal curing of high-performance blended cement mortars (104-M46) Bentz, D. P., July-Aug. 2007	
	408
High-performance concrete —Effect of saturated lightweight sand substitution on shrinkage in 0.35 w/b concrete (104-M06) Durán-Herrera, A.; Aitcin, P.-C.; and Petrov, N., Jan.-Feb. 2007	
	48
High-range water-reducing admixture	
—Filling ability and passing ability of self-consolidating concrete (104-M19) Sonebi, M.; Grünwald, S.; and Walraven, J., Mar.-Apr. 2007	162
—High-volume natural pozzolan concrete for structural applications (104-M59) Uzal, B.; Turanlı, L.; and Mehta, P. K., Sept.-Oct. 2007	535
High-strength concrete —Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Trejo, D.; Moutassem, F.; Hueste, M. B. D.; Halmen, C.; and Cline, D. B. H., Nov.-Dec. 2007	
	643
High-volume fly ash —Use of high volumes of fly ash to improve ECC mechanical properties and material greenness (104-M68) Yang, E.-H.; Yang, Y.; and Li, V. C., Nov.-Dec. 2007	
	620
High-volume natural pozzolan concrete for structural applications (104-M59) Uzal, B.; Turanlı, L.; and Mehta, P. K., Sept.-Oct. 2007	
	535
Hossain, K. M. A. —Mixture design, strength, durability, and fire resistance of lightweight pumice concrete (104-M49) Sept.-Oct. 2007	
	449
Hover, K. C. —Frost durability indexes of segmental retaining wall units (104-M03) Jan.-Feb. 2007	
	23
Hsiao, C. —Investigation of pulse velocity-strength relationship of hardened concrete (104-M38) July-Aug. 2007	
	344

Hsu, T. T. C. —Fresh and hardened properties of self-consolidating fiber-reinforced concrete (104-M54) Sept.-Oct. 2007	491
Hueste, M. B. D. —Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Nov.-Dec. 2007	643
Hydration —Methods for calculating activation energy for portland cement (104-M11) Poole, J. L.; Riding, K. A.; Folliard, K. J.; Juenger, M. C. G.; and Schindler, A. K., Jan.-Feb. 2007	86
Hydraulic cement —Flow test: particle-level and macroscale analyses (104-M36) Kim, H.-K.; Cortes, D. D.; and Santamarina, J. C., May-June 2007	323

I

Ideker, J. H. —Performance limits for evaluating supplementary cementing materials using accelerated mortar bar test (104-M13) Mar.-Apr. 2007	115
Impact behavior —Strain rate effect on bending behavior of new ultra-high-performance cement-based composite (104-M50) Parant, E.; Rossi, P.; Jacquelin, E.; and Boulay, C., Sept.-Oct. 2007	458
Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Trejo, D.; Moutassem, F.; Hueste, M. B. D.; Halmen, C.; and Cline, D. B. H., Nov.-Dec. 2007	643
Influence of freezing-and-thawing damage on behavior of reinforced concrete elements (104-M41) Petersen, L.; Lohaus, L.; and Polak, M. A., July-Aug. 2007	369
Influence of shrinkage-reducing admixtures on development of plastic shrinkage cracks (104-M22) Lura, P.; Pease, B.; Mazzotta, G. B.; Rajabipour, F.; and Weiss, J., Mar.-Apr. 2007	187
Infrared thermography —Heating methods and detection limits for infrared thermography inspection of fiber-reinforced polymer composites (104-M53) Brown, J. R., and Hamilton, H. R., Sept.-Oct. 2007	481
Interfacial transition zone —Closed-form solution for predicting elastic modulus of concrete (104-M60) Li, C.-Q., and Zheng, J.-J., Sept.-Oct. 2007	539
Internal curing of high-performance blended cement mortars (104-M46) Bentz, D. P., July-Aug. 2007	408
Investigation of pulse velocity-strength relationship of hardened concrete (104-M38) Lin, Y.; Kuo, S.-F.; Hsiao, C.; and Lai, C.-P., July-Aug. 2007	344

J

Jacquelin, E. —Strain rate effect on bending behavior of new ultra-high-performance cement-based composite (104-M50) Sept.-Oct. 2007	458
Jamek, M. —Mechanical and fracture-mechanical properties of asphalt-concrete interfaces (104-M52) Sept.-Oct. 2007	474
Jo, B.-W. —Characteristics of cement mortar with nano-SiO ₂ particles (104-M45) July-Aug. 2007	404
Joint —Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) Bissonnette, B.; Attigbo, E. K.; Miltenberger, M. A.; and Fortin, C., May-June 2007	259
Jolicoeur, C. —Multi-electrode conductivity method to evaluate static stability of flowable and self-consolidating concrete (104-M48) July-Aug. 2007	424
Juenger, M. C. G. —Methods for calculating activation energy for portland cement (104-M11) Jan.-Feb. 2007	86
—Temperature boundary condition models for concrete bridge members (104-M42) July-Aug. 2007	379

K

Kamen, A. —Thermal effects on physico-mechanical properties of ultra-high-performance fiber-reinforced concrete (104-M47) July-Aug. 2007	415
Karami, S. —Strength optimization of novel binder containing plasterboard gypsum waste (104-M72) Nov.-Dec. 2007	653
Khayat, K. H. —Multi-electrode conductivity method to evaluate static stability of flowable and self-consolidating concrete (104-M48) July-Aug. 2007	424

Kim, C.-H. —Characteristics of cement mortar with nano-SiO ₂ particles (104-M45) July-Aug. 2007	404
Kim, H.-K. —Flow test: particle-level and macroscale analyses (104-M36) May-June 2007	323
Kim, J.-K. —Development of microplane model based on degree of hydration concept (104-M35) May-June 2007	313
Krstulovic-Opaca, N. —Liquefied natural gas storage: material behavior of concrete at cryogenic temperatures (104-M33) May-June 2007	297
Kuder, K. G. —Rheology of extruded cement-based materials (104-M31) May-June 2007	283
—Tailoring extruded HPFRCC to be nailable (104-M58) Sept.-Oct. 2007	526
Kuo, S.-F. —Investigation of pulse velocity-strength relationship of hardened concrete (104-M38) July-Aug. 2007	344

L

Lachemi, M. —Mixture design, strength, durability, and fire resistance of lightweight pumice concrete (104-M49) Sept.-Oct. 2007	449
Lai, C.-P. —Investigation of pulse velocity-strength relationship of hardened concrete (104-M38) July-Aug. 2007	344
Lamb wave —Assessment of concrete slab quality and layering by guided and surface wave testing (104-M29) Al Wardany, R.; Ballivy, G.; Gallias, J.-L.; Saleh, K.; and Rhazi, J., May-June 2007	268
Landsberger, G. A. —Evaluation of shrinkage prediction models for self-consolidating concrete (104-M51) Sept.-Oct. 2007	464
Lane, D. S. —Vacuum saturated absorption as aggregate durability indicator (104-M34) May-June 2007	307
Lee, Y. —Development of microplane model based on degree of hydration concept (104-M35) May-June 2007	313
Li, C.-Q. —Closed-form solution for predicting elastic modulus of concrete (104-M60) Sept.-Oct. 2007	539
Li, M. —Transport properties of engineered cementitious composites under chloride exposure (104-M66) Nov.-Dec. 2007	604
Li, Q. —Behavior of concrete under nonproportional biaxial fatigue stresses with one constant (104-M01) Jan.-Feb. 2007	3
—Engineered cementitious composites with high-volume fly ash (104-M25) May-June 2007	233
Li, V. C. —Engineered Cementitious Composites with High-Volume Fly Ash (104-M25) May-June 2007	233
—Transport properties of engineered cementitious composites under chloride exposure (104-M66) Nov.-Dec. 2007	604
—Use of high volumes of fly ash to improve ECC mechanical properties and material greenness (104-M68) Nov.-Dec. 2007	620
Lightweight —Tailoring extruded HPFRCC to be nailable (104-M58) Kuder, K. G., and Shah, S. P., Sept.-Oct. 2007	526
Lightweight aggregate —Effect of saturated lightweight sand substitution on shrinkage in 0.35 w/b concrete (104-M06) Durán-Herrera, A.; Aitcin, P.-C.; and Petrov, N., Jan.-Feb. 2007	48
Lightweight concrete —Mixture design, strength, durability, and fire resistance of lightweight pumice concrete (104-M49) Hossain, K. M. A., and Lachemi, M., Sept.-Oct. 2007	449
Lim, J.-H. —Characteristics of cement mortar with nano-SiO ₂ particles (104-M45) July-Aug. 2007	404
Lin, G. —Response of concrete to dynamic elevated-amplitude cyclic tension (104-M61) Nov.-Dec. 2007	561
Lin, Y. —Investigation of pulse velocity-strength relationship of hardened concrete (104-M38) July-Aug. 2007	344
Liquefied natural gas storage: material behavior of concrete at cryogenic temperatures (104-M33) Krstulovic-Opaca, N., May-June 2007	297
Lithium —Effectiveness of lithium-based products in concrete made with Canadian natural aggregates susceptible to alkali-silica reactivity (104-M23) Tremblay, C.; Bérubé, M.-A.; Fournier, B.; Thomas, M. D. A.; and Folliard, K. J., Mar.-Apr. 2007	195
Load —Behavior of concrete under nonproportional biaxial fatigue stresses with one constant (104-M01) Lü, P.; Li, Q.; and Song, Y., Jan.-Feb. 2007	3

Load-bearing modeling —Modeling local pressure on inclined rovings in textile-reinforced concrete (104-M57) Hegger, J.; Bruckermann, O.; and Sherif, A. G., Sept.-Oct. 2007	520
Lohaus, L. —Influence of freezing-and-thawing damage on behavior of reinforced concrete elements (104-M41) July-Aug. 2007	369
Low compaction energy concrete for improved slipform casting of concrete pavements (104-M27) Pekmezci, B. Y.; Voigt, T.; Wang, K.; and Shah, S. P., May-June 2007	251
Lowes, L. N. —Experimental testing to determine concrete fracture energy using simple laboratory test setup (104-M63) Nov.-Dec. 2007	575
Lü, P. —Behavior of concrete under nonproportional biaxial fatigue stresses with one constant (104-M01) Jan.-Feb. 2007	3
Lura, P. —Influence of shrinkage-reducing admixtures on development of plastic shrinkage cracks (104-M22) Mar.-Apr. 2007	187

M

Maalej, M. —Cover cracking of reinforced concrete beams due to corrosion of steel (104-M18) Mar.-Apr. 2007	153
Macht, J. —Mechanical and fracture-mechanical properties of asphalt-concrete interfaces (104-M52) Sept.-Oct. 2007	474
Manufactured sand —Flow test: particle-level and macroscale analyses (104-M36) Kim, H.-K.; Cortes, D. D.; and Santamarina, J. C., May-June 2007	323
Martin, J. —Experimental testing to determine concrete fracture energy using simple laboratory test setup (104-M63) Nov.-Dec. 2007	575
Masonry —Brazilian results on structural masonry concrete blocks (104-M04) Andolfato, R. P.; Camacho, J. S.; and Ramalho, M. A., Jan.-Feb. 2007	33
Mass concrete —Temperature boundary condition models for concrete bridge members (104-M42) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., July-Aug. 2007	379
Mazzotta, G. B. —Influence of shrinkage-reducing admixtures on development of plastic shrinkage cracks (104-M22) Mar.-Apr. 2007	187
McGinnis, M. J. —Water-induced swelling displacements in core drilling method (104-M02) Jan.-Feb. 2007	13
Measuring chloride concentrations for various cement-based materials systems (104-M62) Halmen, C., and Trejo, D., Nov.-Dec. 2007	567
Mechanical —Liquefied natural gas storage: material behavior of concrete at cryogenic temperatures (104-M33) Krstulovic-Opara, N., May-June 2007	297
Mechanical and fracture-mechanical properties of asphalt-concrete interfaces (104-M52) Tschegg, E. K.; Macht, J.; Jamek, M.; and Steigenberger, J., Sept.-Oct. 2007	474
Mehta, P. K. —High-volume natural pozzolan concrete for structural applications (104-M59) Sept.-Oct. 2007	535
Methods for calculating activation energy for portland cement (104-M11) Poole, J. L.; Riding, K. A.; Folliard, K. J.; Juenger, M. C. G.; and Schindler, A. K., Jan.-Feb. 2007	86
Mihashi, H. —Cover cracking of reinforced concrete beams due to corrosion of steel (104-M18) Mar.-Apr. 2007	153
—Post-peak behavior of cement-based materials in compression (104-M55) Sept.-Oct. 2007	501
Millard, S. G. —Fast-track construction with slag cement concrete: adiabatic strength development and strength prediction (104-M43) July-Aug. 2007	388
—On-site measurements on corrosion rate of steel in reinforced concrete (104-M70) Nov.-Dec. 2007	638
Miltenberger, M. A. —Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) May-June 2007	259
Mitra, N. —Experimental testing to determine concrete fracture energy using simple laboratory test setup (104-M63) Nov.-Dec. 2007	575
Mixture —Brazilian results on structural masonry concrete blocks (104-M04) Andolfato, R. P.; Camacho, J. S.; and Ramalho, M. A., Jan.-Feb. 2007	33
Mixture design —Mixture design, strength, durability, and fire resistance of lightweight pumice concrete (104-M49) Hossain, K. M. A., and Lachemi, M., Sept.-Oct. 2007	449

Mixture design, strength, durability, and fire resistance of lightweight pumice concrete (104-M49) Hossain, K. M. A., and Lachemi, M., Sept.-Oct. 2007	449
Mixture proportions —Investigation of pulse velocity-strength relationship of hardened concrete (104-M38) Lin, Y.; Kuo, S.-F.; Hsiao, C.; and Lai, C.-P., July-Aug. 2007	344
Mo, Y. L. —Fresh and hardened properties of self-consolidating fiber-reinforced concrete (104-M54) Sept.-Oct. 2007	491
Mobasher, B. —Closed-form moment-curvature expressions for homogenized fiber-reinforced concrete (104-M39) July-Aug. 2007	351
Model —Modeling of textile reinforced concrete with inclined textile orientation (104-M56) Bruckermann, O.; Hegger, J.; and Sherif, A. G., Sept.-Oct. 2007	511
Modeling local pressure on inclined rovings in textile-reinforced concrete (104-M57) Hegger, J.; Bruckermann, O.; and Sherif, A. G., Sept.-Oct. 2007	520
Modeling of textile reinforced concrete with inclined textile orientation (104-M56) Bruckermann, O.; Hegger, J.; and Sherif, A. G., Sept.-Oct. 2007	511
Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Bhargava, K.; Ghosh, A. K.; Mori, Y.; and Ramanujam, S., Nov.-Dec. 2007	594
Modulus of elasticity —Compressive behavior of ultra-high-performance fiber-reinforced concrete (104-M17) Graybeal, B. A., Mar.-Apr. 2007	146
—Properties of self-consolidating concrete for prestressed members (104-M07) Schindler, A. K.; Barnes, R. W.; Roberts, J. B.; and Rodriguez, S., Jan.-Feb. 2007	53
Modulus of rupture —Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Trejo, D.; Moutassem, F.; Hueste, M. B. D.; Halmen, C.; and Cline, D. B. H., Nov.-Dec. 2007	643
Moisture —Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) Bissonnette, B.; Attiogbe, E. K.; Miltenberger, M. A.; and Fortin, C., May-June 2007	259
Mokarem, D. W. —Vacuum saturated absorption as aggregate durability indicator (104-M34) May-June 2007	307
Moment-curvature —Post-peak behavior of cement-based materials in compression (104-M55) Fantilli, A. P.; Mihashi, H.; and Vallini, P., Sept.-Oct. 2007	501
Monitoring fiber dispersion in fiber-reinforced cementitious materials: comparison of AC-impedance spectroscopy and image analysis (103-M38) —Ozyurt, N.; Woo, L. Y.; Mason, T. O.; and Shah, S. P., Sept.-Oct. 2006	340
—Disc. by Chung, D. D. L., July-Aug. 2007	434
Monteiro, P. J. M. —Effect of confinement on properties and characteristics of alkali-silica reaction gel (104-M30) May-June 2007	276
Mori, Y. —Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Nov.-Dec. 2007	594
Mortar(s) —Creep and shrinkage of high-performance fiber-reinforced cementitious composites (104-M15) Rouse, J. M., and Billington, S. L., Mar.-Apr. 2007	129
—Internal curing of high-performance blended cement mortars (104-M46) Bentz, D. P., July-Aug. 2007	408
—Performance limits for evaluating supplementary cementing materials using accelerated mortar bar test (104-M13) Thomas, M. D. A.; Fournier, B.; Folliard, K. J.; Shehata, M. H.; Ideker, J. H.; and Rogers, C., Mar.-Apr. 2007	115
Moutassem, F. —Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Nov.-Dec. 2007	643
Multi-electrode conductivity method to evaluate static stability of flowable and self-consolidating concrete (104-M48) Khayat, K. H.; Vanhove, Y.; Pavate, T. V.; and Jolicoeur, C., July-Aug. 2007	424
Multi-scale fiber reinforcement —Strain rate effect on bending behavior of new ultra-high-performance cement-based composite (104-M50) Parant, E.; Rossi, P.; Jacquelin, E.; and Boulay, C., Sept.-Oct. 2007	458

N

Nondestructive evaluation

- Heating methods and detection limits for infrared thermography inspection of fiber-reinforced polymer composites (104-M53) Brown, J. R., and Hamilton, H. R., Sept.-Oct. 2007 481
- Investigation of pulse velocity-strength relationship of hardened concrete (104-M38) Lin, Y.; Kuo, S.-F.; Hsiao, C.; and Lai, C.-P., July-Aug. 2007 344

Nondestructive testing—Assessment of concrete slab quality and layering by guided and surface wave testing (104-M29) Al Wardany, R.; Ballivy, G.; Gallias, J.-L.; Saleh, K.; and Rhazi, J., May-June 2007 268

Nonlinear analysis

- Experimental testing to determine concrete fracture energy using simple laboratory test setup (104-M63) Martin, J.; Stanton, J.; Mitra, N.; and Lowes, L. N., Nov.-Dec. 2007 575
- Post-peak behavior of cement-based materials in compression (104-M55) Fantilli, A. P.; Mihashi, H.; and Vallini, P., Sept.-Oct. 2007 501

O

On-site measurements on corrosion rate of steel in reinforced concrete (104-M70) So, H. S., and Millard, S. G., Nov.-Dec. 2007 638

Optimization of mechanical properties and durability of reactive powder concrete (103-M49)

- Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006 444
 - Disc. by Allena, S., and Newton, C. M., Sept.-Oct. 2007 547
- Ostertag, C. P.**—Effect of confinement on properties and characteristics of alkali-silica reaction gel (104-M30) May-June 2007 276

P

Pacheco, A. R.—Revisions to accelerated corrosion test method for post-tensioning grout (104-M14) Mar.-Apr. 2007 123

Parant, E.—Strain rate effect on bending behavior of new ultra-high-performance cement-based composite (104-M50) Sept.-Oct. 2007 458

Paste content—Frost durability indexes of segmental retaining wall units (104-M03) Chan, C.; Hover, K. C.; Folliard, K. J.; and Trejo, D., Jan.-Feb. 2007 23

Pavate, T. V.—Multi-electrode conductivity method to evaluate static stability of flowable and self-consolidating concrete (104-M48) July-Aug. 2007 424

Pavement—Low compaction energy concrete for improved slipform casting of concrete pavements (104-M27) Pekmezci, B. Y.; Voigt, T.; Wang, K.; and Shah, S. P., May-June 2007 251

Pease, B.—Influence of shrinkage-reducing admixtures on development of plastic shrinkage cracks (104-M22) Mar.-Apr. 2007 187

Pekmezci, B. Y.—Low compaction energy concrete for improved slipform casting of concrete pavements (104-M27) May-June 2007 251

Performance limits for evaluating supplementary cementing materials using accelerated mortar bar test (104-M13) Thomas, M. D. A.; Fournier, B.; Folliard, K. J.; Shehata, M. H.; Ideker, J. H.; and Rogers, C., Jan.-Feb. 2007 115

Permeability—Permeability of stressed concrete and role of fiber reinforcement (104-M09) Banthia, N., and Bhargava, A., Jan.-Feb. 2007 70

Permeability of stressed concrete and role of fiber reinforcement (104-M09) Banthia, N., and Bhargava, A., Jan.-Feb. 2007 70

Pessiki, S.—Water-induced swelling displacements in core drilling method (104-M02) Jan.-Feb. 2007 13

Petersen, L.—Influence of freezing-and-thawing damage on behavior of reinforced concrete elements (104-M41) July-Aug. 2007 369

Petrov, N.—Effect of saturated lightweight sand substitution on shrinkage in 0.35 w/b concrete (104-M06) Jan.-Feb. 2007 48

Piezoresistivity-based strain sensing in carbon fiber-reinforced cement (104-M20) Wen, S., and Chung, D. D. L., Mar.-Apr. 2007 171

Pigeon, M.—Tensile creep of concrete: study of its sensitivity to basic parameters (104-M40) July-Aug. 2007 360

Plastic shrinkage—Influence of shrinkage-reducing admixtures on development of plastic shrinkage cracks (104-M22) Lura, P.; Pease, B.; Mazzotta, G. B.; Rajabipour, F.; and Weiss, J., Mar.-Apr. 2007 187

Polak, M. A.—Influence of freezing-and-thawing damage on behavior of reinforced concrete elements (104-M41) July-Aug. 2007 369

Polymeric mortar—Degradation of mechanical characteristics of some polymeric mortars due to aging (104-M37) Silva, M. A. G., and Silva, Z. C. G., July-Aug. 2007 337

Poole, J. L.

—Methods for calculating activation energy for portland cement (104-M11) Jan.-Feb. 2007 86

—Temperature boundary condition models for concrete bridge members (104-M42) July-Aug. 2007 379

Porosity—Liquefied natural gas storage: material behavior of concrete at cryogenic temperatures (104-M33) Krstulovic-Opara, N., May-June 2007 297

Portland cement—Methods for calculating activation energy for portland cement (104-M11) Poole, J. L.; Riding, K. A.; Folliard, K. J.; Juenger, M. C. G.; and Schindler, A. K., Jan.-Feb. 2007 86

Post-peak behavior of cement-based materials in compression (104-M55) Fantilli, A. P.; Mihashi, H.; and Vallini, P., Sept.-Oct. 2007 501

Post-tensioning—Revisions to accelerated corrosion test method for post-tensioning grout (104-M14) Pacheco, A. R.; Schokker, A. J.; and Hamilton III, H. R., Mar.-Apr. 2007 123

Pouya, H. S.—Strength optimization of novel binder containing plasterboard gypsum waste (104-M72) Nov.-Dec. 2007 653

Pozzolan

—High-volume natural pozzolan concrete for structural applications (104-M59) Uzal, B.; Turanli, L.; and Mehta, P. K., Sept.-Oct. 2007 535

—Performance limits for evaluating supplementary cementing materials using accelerated mortar bar test (104-M13) Thomas, M. D. A.; Fournier, B.; Folliard, K. J.; Shehata, M. H.; Ideker, J. H.; and Rogers, C., Mar.-Apr. 2007 115

—Strength optimization of novel binder containing plasterboard gypsum waste (104-M72) Pouya, H. S.; Ganjian, E.; Claisse, P.; and Karami, S., Nov.-Dec. 2007 653

Pozzolanic reactions—Characteristics of cement mortar with nano-SiO₂ particles (104-M45) Jo, B.-W.; Kim, C.-H.; and Lim, J.-H., July-Aug. 2007 404

Pradhan, B.—Role of steel and cement type on chloride-induced corrosion in concrete (104-M67) Nov.-Dec. 2007 612

Prestressed concrete

—Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Trejo, D.; Moutassem, F.; Hueste, M. B. D.; Halmen, C.; and Cline, D. B. H., Nov.-Dec. 2007 643

—Properties of self-consolidating concrete for prestressed members (104-M07) Schindler, A. K.; Barnes, R. W.; Roberts, J. B.; and Rodriguez, S., Jan.-Feb. 2007 53

Properties of concrete containing nonground ash and slag as fine aggregate (104-M44) Yüksel, I., and Genç, A., July-Aug. 2007 397

Properties of self-consolidating concrete for prestressed members (104-M07) Schindler, A. K.; Barnes, R. W.; Roberts, J. B.; and Rodriguez, S., Jan.-Feb. 2007 53

Pullout tests—Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Bhargava, K.; Ghosh, A. K.; Mori, Y.; and Ramanujam, S., Nov.-Dec. 2007 594

R

Rajabipour, F.—Influence of shrinkage-reducing admixtures on development of plastic shrinkage cracks (104-M22) Mar.-Apr. 2007 187

Ramallo, M. A.—Brazilian results on structural masonry concrete blocks (104-M04) Jan.-Feb. 2007 33

Ramanujam, S.—Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Nov.-Dec. 2007 594

Ramyar, K.—Some factors influencing effect of core diameter on measured concrete compressive strength (104-M32) May-June 2007 291

Rayleigh wave—Assessment of concrete slab quality and layering by guided and surface wave testing (104-M29) Al Wardany, R.; Ballivy, G.; Gallias, J.-L.; Saleh, K.; and Rhazi, J., May-June 2007 268

Reid, D. D.—Vacuum saturated absorption as aggregate durability indicator (104-M34) May-June 2007 307

Reinforced concrete

- Cover cracking of reinforced concrete beams due to corrosion of steel cracking (104-M18) Ahmed, S. F. U.; Maalej, M.; and Mihashi, H., Mar.-Apr. 2007 153
- Models for corrosion-induced bond strength degradation in reinforced concrete (104-M65) Bhargava, K.; Ghosh, A. K.; Mori, Y.; and Ramanujam, S., Nov.-Dec. 2007 594
- Residual strength of corrosion-damaged reinforced concrete beams (104-M05) Azad, A. K.; Ahmad, S.; and Azher, S. A., Jan.-Feb. 2007 40

Reinforcement

- Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) Bissonnette, B.; Attiogbe, E. K.; Miltenberger, M. A.; and Fortin, C., May-June 2007 259
- Modeling local pressure on inclined rovings in textile-reinforced concrete (104-M57) Hegger, J.; Bruckermann, O.; and Sherif, A. G., Sept.-Oct. 2007 520
- On-site measurements on corrosion rate of steel in reinforced concrete (104-M70) So, H. S., and Millard, S. G., Nov.-Dec. 2007 638
- Role of steel and cement type on chloride-induced corrosion in concrete (104-M67) Pradhan, B., and Bhattacharjee, B., Nov.-Dec. 2007 612
- Tensile strength of welded splices of QST reinforcing bars (104-M12) Degtyarev, V. V., Jan.-Feb. 2007 95

- Reinforcement corrosion**—Residual strength of corrosion-damaged reinforced concrete beams (104-M05) Azad, A. K.; Ahmad, S.; and Azher, S. A., Jan.-Feb. 2007 40

- Residual strength of corrosion-damaged reinforced concrete beams** (104-M05) Azad, A. K.; Ahmad, S.; and Azher, S. A., Jan.-Feb. 2007 40

- Response of concrete to dynamic elevated-amplitude cyclic tension** (104-M61) Lin, G.; Yan, D.; and Yuan, Y., Nov.-Dec. 2007 561

- Revisions to accelerated corrosion test method for post-tensioning grout** (104-M14) Pacheco, A. R.; Schokker, A. J.; and Hamilton III, H. R., Jan.-Feb. 2007 123

- Rhazi, J.**—Assessment of concrete slab quality and layering by guided and surface wave testing (104-M29) May-June 2007 268

- Rheological method to evaluate structural buildup in self-consolidating concrete cement pastes** (104-M26) Ferron, R. P.; Gregori, A.; Sun, Z.; and Shah, S. P., May-June 2007 242

Rheology

- Cementitious paste setting using rheological and pressure measurements (104-M16) Amziane, S., and Ferraris, C. F., Mar.-Apr. 2007 137
- Flow test: particle-level and macroscale analyses (104-M36) Kim, H.-K.; Cortes, D. D.; and Santamarina, J. C., May-June 2007 323
- Rheological method to evaluate structural buildup in self-consolidating concrete cement pastes (104-M26) Ferron, R. P.; Gregori, A.; Sun, Z.; and Shah, S. P., May-June 2007 242
- Rheology of extruded cement-based materials (104-M31) Kuder, K. G., and Shah, S. P., May-June 2007 283
- Rheology of extruded cement-based materials** (104-M31) Kuder, K. G., and Shah, S. P., May-June 2007 283

Riding, K. A.

- Methods for calculating activation energy for portland cement (104-M11) Jan.-Feb. 2007 86
- Temperature boundary condition models for concrete bridge members (104-M42) July-Aug. 2007 379

- Roberts, J. B.**—Properties of self-consolidating concrete for prestressed members (104-M07) Jan.-Feb. 2007 53

- Rodriguez, S.**—Properties of self-consolidating concrete for prestressed members (104-M07) Jan.-Feb. 2007 53

- Rogers, C.**—Performance limits for evaluating supplementary cementing materials using accelerated mortar bar test (104-M13) Mar.-Apr. 2007 115

- Role of steel and cement type on chloride-induced corrosion in concrete** (104-M67) Pradhan, B., and Bhattacharjee, B., Nov.-Dec. 2007 612

- Rossi, P.**—Strain rate effect on bending behavior of new ultra-high-performance cement-based composite (104-M50) Sept.-Oct. 2007 458

- Rouse, J. M.**—Creep and shrinkage of high-performance fiber-reinforced cementitious composites (104-M15) Mar.-Apr. 2007 129

S

- Sahmaran, M.**—Transport properties of engineered cementitious composites under chloride exposure (104-M66) Nov.-Dec. 2007 604

- Saleh, K.**—Assessment of concrete slab quality and layering by guided and surface wave testing (104-M29) May-June 2007 268

- Santamarina, J. C.**—Flow test: particle-level and macroscale analyses (104-M36) May-June 2007 323

Schindler, A. K.

- Methods for calculating activation energy for portland cement (104-M11) Jan.-Feb. 2007 86

- Properties of self-consolidating concrete for prestressed members (104-M07) Jan.-Feb. 2007 53

- Temperature boundary condition models for concrete bridge members (104-M42) July-Aug. 2007 379

- Schokker, A. J.**—Revisions to accelerated corrosion test method for post-tensioning grout (104-M14) Mar.-Apr. 2007 123

- Scott, A. N.**—Evaluation of fly ash from co-combustion of coal and petroleum coke for use in concrete (104-M08) Jan.-Feb. 2007 62

- Segregation**—Multi-electrode conductivity method to evaluate static stability of flowable and self-consolidating concrete (104-M48) Khayat, K. H.; Vanhove, Y.; Pavate, T. V.; and Jolicoeur, C., July-Aug. 2007 424

Self-consolidating concrete

- Evaluation of shrinkage prediction models for self-consolidating concrete (104-M51) Fernández-Gómez, J., and Landsberger, G. A., Sept.-Oct. 2007 464

- Filling ability and passing ability of self-consolidating concrete (104-M19) Sonebi, M.; Grünewald, S.; and Walraven, J., Mar.-Apr. 2007 162

- Fresh and hardened properties of self-consolidating fiber-reinforced concrete (104-M54) Dhondt, H. B.; Mo, Y. L.; Hsu, T. T. C.; and Vogel, J., Sept.-Oct. 2007 491
- Rheological method to evaluate structural buildup in self-consolidating concrete cement pastes (104-M26) Ferron, R. P.; Gregori, A.; Sun, Z.; and Shah, S. P., May-June 2007 242

- Self-desiccation**—Thermal effects on physico-mechanical properties of ultra-high-performance fiber-reinforced concrete (104-M47) Kamen, A.; Denarié, E.; and Brühwiler, E., July-Aug. 2007 415

- Sellers, J. G.**—Use of alternative materials to reduce shrinkage cracking in bridge decks (104-M69) Nov.-Dec. 2007 629

- Setting time**—Cementitious paste setting using rheological and pressure measurements (104-M16) Amziane, S., and Ferraris, C. F., Mar.-Apr. 2007 137

- Settlement**—Influence of shrinkage-reducing admixtures on development of plastic shrinkage cracks (104-M22) Lura, P.; Pease, B.; Mazzotta, G. B.; Rajabipour, F.; and Weiss, J., Mar.-Apr. 2007 187

Shah, S. P.

- Developing falling-ball viscometer for highly flowable cement-based materials (104-M21) Mar.-Apr. 2007 180

- Low compaction energy concrete for improved slipform casting of concrete pavements (104-M27) May-June 2007 251

- Rheological method to evaluate structural buildup in self-consolidating concrete cement pastes (104-M26) May-June 2007 242

- Rheology of extruded cement-based materials (104-M31) May-June 2007 283

- Tailoring extruded HPFRCC to be nailable (104-M58) Sept.-Oct. 2007 526

- Shehata, M. H.**—Performance limits for evaluating supplementary cementing materials using accelerated mortar bar test (104-M13) Mar.-Apr. 2007 115

Sherif, A. G.

- Modeling local pressure on inclined rovings in textile-reinforced concrete (104-M57) Sept.-Oct. 2007 520

- Modeling of textile reinforced concrete with inclined textile orientation (104-M56) Sept.-Oct. 2007 511

Shrinkage

- Creep and shrinkage of high-performance fiber-reinforced cementitious composites (104-M15) Rouse, J. M., and Billington, S. L., Mar.-Apr. 2007 129

—Effect of saturated lightweight sand substitution on shrinkage in 0.35 w/b concrete (104-M06) Durán-Herrera, A.; Altın, P.-C.; and Petrov, N., Jan.-Feb. 2007	48
—Influence of shrinkage-reducing admixtures on development of plastic shrinkage cracks (104-M22) Lura, P.; Pease, B.; Mazzotta, G. B.; Rajabipour, F.; and Weiss, J., Mar.-Apr. 2007	187
—Properties of self-consolidating concrete for prestressed members (104-M07) Schindler, A. K.; Barnes, R. W.; Roberts, J. B.; and Rodriguez, S., Jan.-Feb. 2007	53
Shrinkage cracking —Use of alternative materials to reduce shrinkage cracking in bridge decks (104-M69) Brown, M. D.; Smith, C. A.; Sellers, J. G.; Folliard, K. J.; and Breen, J. E., Nov.-Dec. 2007	629
Shrinkage models —Evaluation of shrinkage prediction models for self-consolidating concrete (104-M51) Fernández-Gómez, J., and Landsberger, G. A., Sept.-Oct. 2007	464
Silica fume	
—Characteristics of cement mortar with nano-SiO ₂ particles (104-M45) Jo, B.-W.; Kim, C.-H.; and Lim, J.-H., July-Aug. 2007	404
—Strength and wear resistance of sand-replaced silica fume concrete (104-M24) Ghafoori, N., and Diawara, H., Mar.-Apr. 2007	206
Silva, M. A. G. —Degradation of mechanical characteristics of some polymeric mortars due to aging (104-M37) July-Aug. 2007	337
Silva, Z. C. G. —Degradation of mechanical characteristics of some polymeric mortars due to aging (104-M37) July-Aug. 2007	337
Simply-supported beams —Post-peak behavior of cement-based materials in compression (104-M55) Fantilli, A. P.; Mihashi, H.; and Vallini, P., Sept.-Oct. 2007	501
Slab —Assessment of concrete slab quality and layering by guided and surface wave testing (104-M29) Al Wardany, R.; Ballivy, G.; Gallias, J.-L.; Saleh, K.; and Rhazi, J., May-June 2007	268
Slab-on-ground —Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) Bissonnette, B.; Attiogbe, E. K.; Miltenberger, M. A.; and Fortin, C., May-June 2007	259
Slag	
—Performance limits for evaluating supplementary cementing materials using accelerated mortar bar test (104-M13) Thomas, M. D. A.; Fournier, B.; Folliard, K. J.; Shehata, M. H.; Ideker, J. H.; and Rogers, C., Mar.-Apr. 2007	115
—Properties of concrete containing nonground ash and slag as fine aggregate (104-M44) Yüksel, I., and Genç, A., July-Aug. 2007	397
—Strength optimization of novel binder containing plasterboard gypsum waste (104-M72) Pouya, H. S.; Ganjian, E.; Claisse, P.; and Karami, S., Nov.-Dec. 2007	653
Slag cement —Fast-track construction with slag cement concrete: adiabatic strength development and strength prediction (104-M43) Barnett, S. J.; Soutsos, M. N.; Bungey, J. H.; and Millard, S. G., July-Aug. 2007	388
Slipform —Low compaction energy concrete for improved slipform casting of concrete pavements (104-M27) Pekmezci, B. Y.; Voigt, T.; Wang, K.; and Shah, S. P., May-June 2007	251
Slump	
—Developing falling-ball viscometer for highly flowable cement-based materials (104-M21) Sun, Z.; Gregori, A.; Ferron, R.; and Shah, S. P., Mar.-Apr. 2007	180
—Low compaction energy concrete for improved slipform casting of concrete pavements (104-M27) Pekmezci, B. Y.; Voigt, T.; Wang, K.; and Shah, S. P., May-June 2007	251
Smith, C. A. —Use of alternative materials to reduce shrinkage cracking in bridge decks (104-M69) Nov.-Dec. 2007	629
So, H. S. —On-site measurements on corrosion rate of steel in reinforced concrete (104-M70) Nov.-Dec. 2007	638
Sodium sulfate resistance —Sodium sulfate resistance of fast-track portland-cement concretes (104-M64) Ghafoori, N.; Diawara, H.; and Beasley, S., Nov.-Dec. 2007	585
Sodium sulfate resistance of fast-track portland-cement concretes (104-M64) Ghafoori, N.; Diawara, H.; and Beasley, S., Nov.-Dec. 2007	585
Some factors influencing effect of core diameter on measured concrete compressive strength (104-M32) Arizoz, O.; Ramyar, K.; Tuncan, M.; Tuncan, A.; and Cil, I., May-June 2007	291
Sonebi, M. —Filling ability and passing ability of self-consolidating concrete (104-M19) Mar.-Apr. 2007	162

Song, Y. —Behavior of concrete under nonproportional biaxial fatigue stresses with one constant (104-M01) Jan.-Feb. 2007	3
Soranakom, C. —Closed-form moment-curvature expressions for homogenized fiber-reinforced concrete (104-M39) July-Aug. 2007	351
Soundness —Vacuum saturated absorption as aggregate durability indicator (104-M34) Williamson, G. S.; Weyers, R. E.; Mokarem, D. W.; Lane, D. S.; and Reid, D. D., May-June 2007	307
Soutsos, M. N. —Fast-track construction with slag cement concrete: adiabatic strength development and strength prediction (104-M43) July-Aug. 2007	388
Stability —Multi-electrode conductivity method to evaluate static stability of flowable and self-consolidating concrete (104-M48) Khayat, K. H.; Vanhove, Y.; Pavate, T. V.; and Jolicoeur, C., July-Aug. 2007	424
Stanton, J. —Experimental testing to determine concrete fracture energy using simple laboratory test setup (104-M63) Nov.-Dec. 2007	575
Steel	
—On-site measurements on corrosion rate of steel in reinforced concrete (104-M70) So, H. S., and Millard, S. G., Nov.-Dec. 2007	638
—Role of steel and cement type on chloride-induced corrosion in concrete (104-M67) Pradhan, B., and Bhattacharjee, B., Nov.-Dec. 2007	612
—Tensile strength of welded splices of QST reinforcing bars (104-M12) Degtyarev, V. V., Jan.-Feb. 2007	95
Steel fiber-reinforced concrete —Fresh and hardened properties of self-consolidating fiber-reinforced concrete (104-M54) Dhonde, H. B.; Mo, Y. L.; Hsu, T. T. C.; and Vogel, J., Sept.-Oct. 2007	491
Steigenberger, J. —Mechanical and fracture-mechanical properties of asphalt-concrete interfaces (104-M52) Sept.-Oct. 2007	474
Stiffness degradation —Degradation of mechanical characteristics of some polymeric mortars due to aging (104-M37) Silva, M. A. G., and Silva, Z. C. G., July-Aug. 2007	337
Strain	
—Drying shrinkage, curling, and joint opening of slabs-on-ground (104-M28) Bissonnette, B.; Attiogbe, E. K.; Miltenberger, M. A.; and Fortin, C., May-June 2007	259
—Post-peak behavior of cement-based materials in compression (104-M55) Fantilli, A. P.; Mihashi, H.; and Vallini, P., Sept.-Oct. 2007	501
Strain rate effect on bending behavior of new ultra-high-performance cement-based composite (104-M50) Parant, E.; Rossi, P.; Jacquelin, E.; and Boulay, C., Sept.-Oct. 2007	458
Strain rate effects —Strain rate effect on bending behavior of new ultra-high-performance cement-based composite (104-M50) Parant, E.; Rossi, P.; Jacquelin, E.; and Boulay, C., Sept.-Oct. 2007	458
Strength	
—Behavior of concrete under nonproportional biaxial fatigue stresses with one constant (104-M01) Lü, P.; Li, Q.; and Song, Y., Jan.-Feb. 2007	3
—Fast-track construction with slag cement concrete: adiabatic strength development and strength prediction (104-M43) Barnett, S. J.; Soutsos, M. N.; Bungey, J. H.; and Millard, S. G., July-Aug. 2007	388
—Mixture design, strength, durability, and fire resistance of lightweight pumice concrete (104-M49) Hossain, K. M. A., and Lachemi, M., Sept.-Oct. 2007	449
—Properties of self-consolidating concrete for prestressed members (104-M07) Schindler, A. K.; Barnes, R. W.; Roberts, J. B.; and Rodriguez, S., Jan.-Feb. 2007	53
—Sodium sulfate resistance of fast-track portland-cement concretes (104-M64) Ghafoori, N.; Diawara, H.; and Beasley, S., Nov.-Dec. 2007	585
Strength and wear resistance of sand-replaced silica fume concrete (104-M24) Ghafoori, N., and Diawara, H., Mar.-Apr. 2007	206
Strength degradation —Degradation of mechanical characteristics of some polymeric mortars due to aging (104-M37) Silva, M. A. G., and Silva, Z. C. G., July-Aug. 2007	337
Strength enhancement —Response of concrete to dynamic elevated-amplitude cyclic tension (104-M61) Lin, G.; Yan, D.; and Yuan, Y., Nov.-Dec. 2007	561
Strength optimization of novel binder containing plasterboard gypsum waste (104-M72) Pouya, H. S.; Ganjian, E.; Claisse, P.; and Karami, S., Nov.-Dec. 2007	653
Stress	
—Cementitious paste setting using rheological and pressure measurements (104-M16) Amziane, S., and Ferraris, C. F., Mar.-Apr. 2007	137

—Development of microplane model based on degree of hydration concept (104-M35) Kim, J.-K., and Lee, Y., May-June 2007	313
—Permeability of stressed concrete and role of fiber reinforcement (104-M09) Banthia, N., and Bhargava, A., Jan.-Feb. 2007	70
—Water-induced swelling displacements in core drilling method (104-M02) McGinnis, M. J., and Pessiki, S., Jan.-Feb. 2007	13
Stress-strain —Modeling of textile reinforced concrete with inclined textile orientation (104-M56) Bruckermann, O.; Hegger, J.; and Sherif, A. G., Sept.-Oct. 2007	511
Sun, Z.	
—Developing falling-ball viscometer for highly flowable cement-based materials (104-M21) Mar.-Apr. 2007	180
—Rheological method to evaluate structural buildup in self-consolidating concrete cement pastes (104-M26) May-June 2007	242
Sustainability —Use of high volumes of fly ash to improve ECC mechanical properties and material greenness (104-M68) Yang, E.-H.; Yang, Y.; and Li, V. C., Nov.-Dec. 2007	620

T

Tailoring extruded HPFRCC to be nailable (104-M58) Kuder, K. G., and Shah, S. P., Sept.-Oct. 2007	526
Temperature	
—Liquefied natural gas storage: material behavior of concrete at cryogenic temperatures (104-M33) Krstulovic-Opara, N., May-June 2007	297
—Mechanical and fracture-mechanical properties of asphalt-concrete interfaces (104-M52) Tschegg, E. K.; Macht, J.; Jamek, M.; and Steigenberger, J., Sept.-Oct. 2007	474
—On-site measurements on corrosion rate of steel in reinforced concrete (104-M70) So, H. S., and Millard, S. G., Nov.-Dec. 2007	638
Temperature boundary condition models for concrete bridge members (104-M42) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., July-Aug. 2007	379
Temperature prediction —Temperature boundary condition models for concrete bridge members (104-M42) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., July-Aug. 2007	379
Tensile —Development of microplane model based on degree of hydration concept (104-M35) Kim, J.-K., and Lee, Y., May-June 2007	313
Tensile creep —Tensile creep of concrete: study of its sensitivity to basic parameters (104-M40) Bissonnette, B.; Pigeon, M.; and Vaysburd, A. M., July-Aug. 2007	360
Tensile creep of concrete: study of its sensitivity to basic parameters (104-M40) Bissonnette, B.; Pigeon, M.; and Vaysburd, A. M., July-Aug. 2007	360
Tensile strength	
—Tensile creep of concrete: study of its sensitivity to basic parameters (104-M40) Bissonnette, B.; Pigeon, M.; and Vaysburd, A. M., July-Aug. 2007	360
—Tensile strength of welded splices of QST reinforcing bars (104-M12) Degtyarev, V. V., Jan.-Feb. 2007	95
Tensile strength of welded splices of QST reinforcing bars (104-M12) Degtyarev, V. V., Jan.-Feb. 2007	95
Tension —Closed-form moment-curvature expressions for homogenized fiber-reinforced concrete (104-M39) Soranakom, C., and Mobasher, B., July-Aug. 2007	351
Test	
—Fracture energy of concrete by maturity method (104-M10) Bassam, S. A.; Yu, B.-J.; and Ansari, F., Jan.-Feb. 2007	77
—Revisions to accelerated corrosion test method for post-tensioning grout (104-M14) Pacheco, A. R.; Schokker, A. J.; and Hamilton III, H. R., Mar.-Apr. 2007	123
Testing —Some factors influencing effect of core diameter on measured concrete compressive strength (104-M32) Arioz, O.; Ramyar, K.; Tuncan, M.; Tuncan, A.; and Cil, I., May-June 2007	291
Textile reinforcement	
—Modeling local pressure on inclined rovings in textile-reinforced concrete (104-M57) Hegger, J.; Bruckermann, O.; and Sherif, A. G., Sept.-Oct. 2007	520

—Modeling of textile reinforced concrete with inclined textile orientation (104-M56) Bruckermann, O.; Hegger, J.; and Sherif, A. G., Sept.-Oct. 2007	511
Thermal effects —Fracture energy of concrete by maturity method (104-M10) Bassam, S. A.; Yu, B.-J.; and Ansari, F., Jan.-Feb. 2007	77
Thermal effects on physico-mechanical properties of ultra-high-performance fiber-reinforced concrete (104-M47) Kamen, A.; Denarié, E.; and Brühwiler, E., July-Aug. 2007	415
Thermal properties —Liquefied natural gas storage: material behavior of concrete at cryogenic temperatures (104-M33) Krstulovic-Opara, N., May-June 2007	297
Thixotropy —Rheological method to evaluate structural buildup in self-consolidating concrete cement pastes (104-M26) Ferron, R. P.; Gregori, A.; Sun, Z.; and Shah, S. P., May-June 2007	242
Thomas, M. D. A.	
—Effectiveness of lithium-based products in concrete made with Canadian natural aggregates susceptible to alkali-silica reactivity (104-M23) Mar.-Apr. 2007	195
—Evaluation of fly ash from co-combustion of coal and petroleum coke for use in concrete (104-M08) Jan.-Feb. 2007	62
—Performance limits for evaluating supplementary cementing materials using accelerated mortar bar test (104-M13) Mar.-Apr. 2007	115
Transport properties of engineered cementitious composites under chloride exposure (104-M66) Sahmaran, M.; Li, M.; and Li, V. C., Nov.-Dec. 2007	604
Trejo, D.	
—Frost durability indexes of segmental retaining wall units (104-M03) Jan.-Feb. 2007	23
—Influence of environmental exposure conditions on mechanical properties of high-strength concrete (104-M71) Nov.-Dec. 2007	643
—Measuring chloride concentrations for various cement-based materials systems (104-M62) Nov.-Dec. 2007	567
Tremblay, C. —Effectiveness of lithium-based products in concrete made with Canadian natural aggregates susceptible to alkali-silica reactivity (104-M23) Mar.-Apr. 2007	195
Tschegg, E. K. —Mechanical and fracture-mechanical properties of asphalt-concrete interfaces (104-M52) Sept.-Oct. 2007	474
Tuncan, A. —Some factors influencing effect of core diameter on measured concrete compressive strength (104-M32) May-June 2007	291
Tuncan, M. —Some factors influencing effect of core diameter on measured concrete compressive strength (104-M32) May-June 2007	291
Turanli, L. —High-volume natural pozzolan concrete for structural applications (104-M59) Sept.-Oct. 2007	535

U

Ultra-high-performance concrete —Strain rate effect on bending behavior of new ultra-high-performance cement-based composite (104-M50) Parant, E.; Rossi, P.; Jacquelin, E.; and Boulay, C., Sept.-Oct. 2007	458
Ultrasonic pulse velocity —Investigation of pulse velocity-strength relationship of hardened concrete (104-M38) Lin, Y.; Kuo, S.-F.; Hsiao, C.; and Lai, C.-P., July-Aug. 2007	344
Use of alternative materials to reduce shrinkage cracking in bridge decks (104-M69) Brown, M. D.; Smith, C. A.; Sellers, J. G.; Folliard, K. J.; and Breen, J. E., Nov.-Dec. 2007	629
Use of high volumes of fly ash to improve ECC mechanical properties and material greenness (104-M68) Yang, E.-H.; Yang, Y.; and Li, V. C., Nov.-Dec. 2007	620
Uzal, B. —High-volume natural pozzolan concrete for structural applications (104-M59) Sept.-Oct. 2007	535

V

Vacuum saturated absorption as aggregate durability indicator (104-M34) Williamson, G. S.; Weyers, R. E.; Mokarem, D. W.; Lane, D. S.; and Reid, D. D., May-June 2007	307
Vacuum saturation —Vacuum saturated absorption as aggregate durability indicator (104-M34) Williamson, G. S.; Weyers, R. E.; Mokarem, D. W.; Lane, D. S.; and Reid, D. D., May-June 2007	307

Vallini, P. —Post-peak behavior of cement-based materials in compression (104-M55) Sept.-Oct. 2007	501
Vanhove, Y. —Multi-electrode conductivity method to evaluate static stability of flowable and self-consolidating concrete (104-M48) July-Aug. 2007	424
Vaysburd, A. M. —Tensile creep of concrete: study of its sensitivity to basic parameters (104-M40) July-Aug. 2007	360
Viscometer —Developing falling-ball viscometer for highly flowable cement-based materials (104-M21) Sun, Z.; Gregori, A.; Ferron, R.; and Shah, S. P., Mar.-Apr. 2007	180
Viscosity —Developing falling-ball viscometer for highly flowable cement-based materials (104-M21) Sun, Z.; Gregori, A.; Ferron, R.; and Shah, S. P., Mar.-Apr. 2007	180
Vogel, J. —Fresh and hardened properties of self-consolidating fiber-reinforced concrete (104-M54) Sept.-Oct. 2007	491
Void —Frost durability indexes of segmental retaining wall units (104-M03) Chan, C.; Hover, K. C.; Folliard, K. J.; and Trejo, D., Jan.-Feb. 2007	23
Voigt, T. —Low compaction energy concrete for improved slipform casting of concrete pavements (104-M27) May-June 2007	251

W

Wall —Frost durability indexes of segmental retaining wall units (104-M03) Chan, C.; Hover, K. C.; Folliard, K. J.; and Trejo, D., Jan.-Feb. 2007	23
Walraven, J. —Filling ability and passing ability of self-consolidating concrete (104-M19) Mar.-Apr. 2007	162
Wang, K. —Low compaction energy concrete for improved slipform casting of concrete pavements (104-M27) May-June 2007	251
Wang, S. —Engineered cementitious composites with high-volume fly ash (104-M25) May-June 2007	233
Water-induced swelling displacements in core drilling method (104-M02) McGinnis, M. J., and Pessiki, S., Jan.-Feb. 2007	13
Weiss, J. —Influence of shrinkage-reducing admixtures on development of plastic shrinkage cracks (104-M22) Mar.-Apr. 2007	187
Wen, S. —Piezoresistivity-based strain sensing in carbon fiber-reinforced cement (104-M20) Mar.-Apr. 2007	171

Weyers, R. E. —Vacuum saturated absorption as aggregate durability indicator (104-M34) May-June 2007	307
Whitertopping —Mechanical and fracture-mechanical properties of asphalt-concrete interfaces (104-M52) Tschegg, E. K.; Macht, J.; Jamek, M.; and Steigenberger, J., Sept.-Oct. 2007	474
Williamson, G. S. —Vacuum saturated absorption as aggregate durability indicator (104-M34) May-June 2007	307
Workability —Fresh and hardened properties of self-consolidating fiber-reinforced concrete (104-M54) Dhonde, H. B.; Mo, Y. L.; Hsu, T. T. C.; and Vogel, J., Sept.-Oct. 2007	491

Y

Yan, D. —Response of concrete to dynamic elevated-amplitude cyclic tension (104-M61) Nov.-Dec. 2007	561
Yang, E.-H. —Use of high volumes of fly ash to improve ECC mechanical properties and material greenness (104-M68) Nov.-Dec. 2007	620
Yang, Y. —Use of high volumes of fly ash to improve ECC mechanical properties and material greenness (104-M68) Nov.-Dec. 2007	620
Yi, C. —Effect of confinement on properties and characteristics of alkali-silica reaction gel (104-M30) May-June 2007	276
Yield —Cementitious paste setting using rheological and pressure measurements (104-M16) Amziane, S., and Ferraris, C. F., Mar.-Apr. 2007	137
Yu, B.-J. —Fracture energy of concrete by maturity method (104-M10) Jan.-Feb. 2007	77
Yuan, Y. —Response of concrete to dynamic elevated-amplitude cyclic tension (104-M61) Nov.-Dec. 2007	561
Yüksel, I. —Properties of concrete containing nonground ash and slag as fine aggregate (104-M44) July-Aug. 2007	397

Z

Zheng, J.-J. —Closed-form solution for predicting elastic modulus of concrete (104-M60) Sept.-Oct. 2007	539
--	-----

